

### **MATERIAL SAFETY DATA SHEET**

1. IDENTIFICATION OF SUBSTANCE

PRODUCT NAME : prisai« KITCHEN CLEANING GEL – PREMIUM

PRODUCT DISCRIPTION : prisai» KITCHEN CLEANING GEL - PREMIUM deliver

powerful cleaning performance and safe for use on washable surfaces like KITCHEN COUNTERS, GAS STOVE TOPS, CUTTING BOARDS, REFRIGERATORS, CHIMNEY, TILES, UTENSILS, GLASS

AND MANY MORE.

prisai<sub>®</sub> KITCHEN CLEANING GEL - PREMIUM is a powerful

degreaser.

MANUFACTURER : CV INDUSTRIES PRIVATE LIMITED

14-B, Nirman Villa, Nirman Nagar. Vise Mala, College Road,

Nashik-422005, Maharashtra State, India.

CONTACT INFORMATION : E-MAIL :- info@cvindustries.in

PHONE :- +91 7887 39 39 34

2. COMPOSITION / INFORMATION ON COMPONENTS

CHEMICAL IDENTIFICATION : Linear Alkyl Benzene Sulphonic Acid, Sodium Hydroxide : 22%

Active Matter and Diluents Adjunct: 78%

TOTAL: 100% w/w

3. HAZARDS IDENTIFICATION

NOT FLAMMABLE OR COMBUSTIBLE : Non-Flammable.

PRIMARY ROUTES OF EXPOSURE : Inhalation.

SKIN CONTACT : May cause skin irritation.

EYE CONTACT : Cause eye irritation. Avoid contact with eyes.

INHALATION : None.

POTENTIAL HEALTH HAZARDS : May be harmful if swallowed. Avoid contamination with food.

Keep out of reach of children.

4. FIRST AID MEASURES

INHALATION : Remove from source of exposure. Obtain medical attention.

EYE CONTACT : Immediately flush eyes with water for at least 15 minutes while

holding eyelids open. If irritation persists, get medical attention.

SKIN CONTACT : If irritation occurs wash area with large amounts of water.

Seek medical attention if irritation persists.

INGESTION : If ingestion of a large amount does occur. Seek medical attention.

Do not induce vomiting.



5. FIRE FIGHTING MEASURE

FLASH POINT : Not Applicable.

EXPLOSIVE LIMIT VOL% IN AIR : None Expected.

AUTO-IGNITION TEMP. : Not Available.

EXTINGUISHING MEDIA : Use water spray, dry chemical, carbon dioxide or appropriate

foam

SPECIAL FIRE FIGHTING PROC. : Wear approved self-contained breathing apparatus and full

protective clothing when fighting fires involving chemicals.

Use water spray to cool containers exposed to fire.

UNUSUAL FIRE AND EXPLOSION

HAZARDS : None Known.

6. ACCIDENTAL RELEASE MEASURE

PERSONAL PROTECTION : Protective clothing is advised for major spills and spills or leaks in

confined areas.

PROCEDURES : Contain all spills and leaks to prevent discharge to the

environment. Soak up with absorbent or by diking with sand.

Wash area with water.

7. HANDLING AND STORAGE

HANDLING PROCEDURES : Avoid excessive inhalation of concentrated vapors. Follow good

manufacturing practices for housekeeping and personal hygiene. Wash any exposed skin immediately after any chemical contact, before breaks and meals, and at the end of each work period. Contaminated clothing and shoes should be thoroughly cleaned before re-use. If appropriate, procedures used during the handling of this material should also be used when cleaning equipment or removing residual chemicals from tanks or other concentrations in the workplace air. Where chemicals are openly handled, access

should be restricted to properly trained employees.

HEATING : Maximum exposure temperature: 40 degree centigrade.

Minimum exposure temperature: 05 degree centigrade.

STORAGE CONDITION : Store in a cool, dry, ventilated area away from heat

sources. Keep containers upright and tightly closed when

not in use.



8. EXPOSURE CONTROL / PERSONAL PROTECTION

CLOSED SYSTEM : Where appropriate, use closed systems to transfer and

process material.

ISOLATION : If appropriate, isolate mixing rooms and other areas where

this material is used or openly handled.

VENTILATION : Not Required.

RESPIRATORY PROTECTION : Not Required.

SKIN PROTECTION : Avoid long-term contact with skin.

EYE PROTECTION : Use tight-fitting goggles, face shield or safety glasses, if eye

contact might occur.

FOOT PROTECTION : Wear Suitable protective footwear.

WORK / HYGIENIC PRACTICE : Washing with soap and water after use is recommended good

hygienic practice to prevent possible skin irritation and / or

irritation from contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE : Clear light yellow color gel with fragrance.

ODOR : Conforms to standards.

COLOR : Light yellow.

pH : 07.50 to 12.50

SOLUBILITY : Miscible with water.

CHEMICAL STATE : Alkaline.

CHEMICAL TYPE : Mixed

BOILING POINT (Deg C) : NA

SPECIFIC GRAVITY (H20=1) : 01.03

10. STABILITY AND REACTIVITY

STABILITY : Material is stable under normal conditions of storage.

INCOMPATIBILITY : None.

DECOMPOSITION : None.



## 11. TOXICOLOGICAL INFORMATION

Refer to section 3 of this msds for chronic exposure.

Refer to section 8 of this msds for additional information.

### 12. ECOLOGICAL INFORMATION

The product is not considered harmful to aquatic organisms nor to cause adverse effects in the environment. The surfactants used in the products are biodegradable. This product is bio degradable.

### 13. DISPOSAL CONSIDERATIONS

Treatment Storage, terms protection and disposal must be in accordance with the applicable federal, State / provincial and local regulations may vary in different locations characterization and compliance with the applicable laws are the responsibility of the generator

## 14. TRANSPORTATION INFORMATION

DOT (NON-BULK) : Not Regulated.

IATA (AIR CARGO) : Not Regulated.

IMDG : Not Regulated.

PROPER SHIPPING NAME : Not Applicable.

## 15. REGULATORY INFORMATION

Observe all Asian National, State and Environmental Regulations.

# 16. OTHER INFORMATION

### Disclaimer

This product should be stored and used in accordance with good industrial hygiene practices and in conformity with any legal regulations. This information is based on our present state of knowledge and is intended to describe our products from the point of view of the safety requirements. it should not therefore be construed as guaranteeing specific properties. it is up to the user/distributor to ensure that the information contained in the msds is relevant to the product manufactured/handled or sold by him as the case may be. Colour chem. makes no warranties, expressed or implied, in respect of the adequacy of this document for any particular purpose.